

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	14	(set\$7 modify\$5 chang\$5 select\$5) near10 (browser) near10 (filter\$5) same ((transfer\$5) (transmit\$5) (deliver\$5) near5 (option mode choice selection filter\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 13:14
L2	19	((right near4 click\$5 near3 button) near6 (popup display manu context)) near15 (select\$5 choos\$5) near10 (filter option mode format)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 12:10
L3	100	((pressing near3 button) near6 (popup display)) near15 (select\$5 choos\$5) near10 (filter option mode format)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 12:10
L4	0	((pressing near3 button) near6 (popup display)) near15 (select\$5 choos\$5) near10 (browser) near5 (filter option mode format)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 12:10
L5	43	(browser) near5 (data) near5 (transfer\$5 exchange\$5) near10 (filter option mode format)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 12:36
L6	1	(browser) near5 (data) near5 (exchange\$5) near10 (mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 12:37
L7	0	(data) near5 (exchange\$5) near10 (mode) same (protected and brief and trusted and annotated)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 12:38
L8	0	(data) near5 (exchange\$5) near10 (mode) and (protected and brief and trusted and annotated)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 12:38
L9	0	(data) near5 (exchange\$5 select\$5 modify\$5 transmit\$5 transfer\$5) near10 (mode) and (protected and brief and trusted and annotated)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 12:39
L10	233	(data) near5 (exchange\$5 select\$5 modify\$5 transmit\$5 transfer\$5) near10 (mode) and ((protected secure)and (annotated brief) and trusted)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 12:40
L11	0	"345"/\$.ccls. and (set\$7 modify\$5 chang\$5 select\$5) near10 (browser) near10 (filter\$5) same ((transfer\$5) (transmit\$5) (deliver\$5) near5 (option mode choice selection filter\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 13:15

L12	5	"709"/\$.ccis. and (set\$7 modify\$5 chang\$5 select\$5) near10 (browser) near10 (filter\$5) same ((transfer\$5) (transmit\$5) (deliver\$5) near5 (option mode choice selection filter\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 13:15
S1	2	"6134588".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 13:21
S2	2	"6321267".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 10:56
S3	2	"6311215".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 11:16
S4	2	"6345300".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 12:36
S5	1085	(dynamic runtime) near10 (request\$5 order\$5 identify\$5 desir\$5) near10 (format election mode rate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 12:40
S6	596	(dynamic runtime) near5 (request\$5 order\$5 identify\$5 desir\$5) near5 (format selection mode rate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 12:40
S7	596	(dynamic) near5 (request\$5 order\$5 identify\$5 desir\$5) near5 (format selection mode rate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 12:40
S8	368	(dynamic) near5 (request\$5 order\$5 identify\$5 desir\$5) near5 (format selection mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 12:41
S9	211	(dynamic) near3 (request\$5 order\$5 identify\$5 desir\$5) near5 (format selection mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 12:41
S10	168	(dynamic) near3 (request\$5 order\$5 identify\$5 desir\$5) near3 (format selection mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 13:12
S11	3406	((proxy content)near3 (server)) and ((user client cutomer) near5 (select\$5 choos\$5 prefer\$6) near5 (deliver\$5 format data image))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 13:21
S12	0	((proxy content)near3 (server)) and ((user client cutomer) near5 (select\$5 choos\$5 prefer\$6) near5 (deliver\$5 format data image))) and ((conigur\$5) near5 (browser))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 13:21

S13	342	((proxy content)near3 (server)) and ((user client cutomer) near5 (select\$5 choos\$5 prefer\$6) near5 (deliver\$5 format data image))) and ((configur\$5) near5 (browser))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 13:43
S14	34	((proxy content)near3 (server)) and ((user client cutomer) near5 (select\$5 choos\$5 prefer\$6) near5 (deliver\$5 format data image))) and ((configur\$5)adj (browser))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 13:21
S15	2626	((configur\$5) near5 (browser))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/14 13:43
S16	65	((configur\$5) near5 (browser))) and ((transcod\$5) near10 (data content document))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 13:24
S17	2	"6421733".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 09:03
S18	550	(modify\$5 chang\$5 select\$5) near5 (browser (data adj deliver\$5)) near5 (option mode choice)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 07:40
S19	8	(modify\$5 chang\$5 select\$5) near5 (browser (data adj deliver\$5)) near5 (option mode choice) and ((transcod\$5) near10 (data content document))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 13:41
S20	2	"6321267".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 13:42
S21	2	"6134588".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 13:44
S22	2	"6237031".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 13:45
S23	2	"6345303".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 13:51
S24	2	"6684257".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 13:51

S25	8	(modify\$5 chang\$5 select\$5) near5 (browser (data adj deliver\$5)) near5 (option mode choice)and ((pressing near3 button) near6 (popup display))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 14:09
S26	17	(browser (data adj deliver\$5)) near5 (option mode choice)and ((pressing near3 button) near6 (popup display))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 16:16
S27	3	(modify\$5 chang\$5 select\$5) near5 (browser (data adj deliver\$5)) near5 (option mode choice) and (transcod\$5 near5 (proxy server gateway))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 14:44
S28	47	(modify\$5 chang\$5 select\$5) near5 (browser (data adj deliver\$5)) near5 (option mode choice) and ((transcod\$5 transl\$5) near5 (proxy server gateway))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 14:45
S29	8	(modify\$5 chang\$5 select\$5) near4 (browser (data adj deliver\$5)) near5 (exchang\$5 transfer\$5 transmit\$5) near5 (option mode choice)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 16:11
S30	6	(modify\$5 chang\$5 select\$5) near5 (browser (data adj deliver\$5)) near5 (option mode choice) and ((right near4 click\$5 near3 button) near6 (popup display manu context))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 16:26
S31	0	(modify\$5 chang\$5 select\$5) near5 (browser (data adj deliver\$5)) near5 (option mode choice) and (multimodal) near10 (information document) near5 (retrieval)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 16:31
S32	2	(modify\$5 chang\$5 select\$5) near5 (browser (data adj deliver\$5)) near5 (option mode choice) and (multi-modal) near10 (information document) near5 (retrieval)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 16:31
S33	42	((multi-modal) near10 (information document)).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 16:31
S34	103	(modify\$5 chang\$5 select\$5) near5 (browser) near5 ((data adj deliver\$5) (data adj exchange) (interact\$5) (transfer\$5) (transmit\$5) (deliver\$5)) near5 (option mode choice selection)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 07:45
S35	62	(modify\$5 chang\$5 select\$5) adj5 (browser) near5 ((data adj deliver\$5) (data adj exchange) (interact\$5) (transfer\$5) (transmit\$5) (deliver\$5)) near5 (option mode choice selection)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 09:59

S36	1	(set\$7) near10 (browser) near10 (filter\$5) same ((transfer\$5) (transmit\$5) (deliver\$5)) near5 (option mode choice selection filter\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 10:02
S37	4	(set\$7) near10 (browser) near10 (parameter) near15 (protected secure brief trusted unsecure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 10:17
S38	2	"6029245".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 10:05
S39	111	(set\$7) near10 (browser) near25 (protected secure brief trusted unsecure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 10:18